
equipment from Chemnitz



GREENHOUSE TWINE






stc-spinnzwirn.com

STC Spinnzwirn GmbH Zwickauer Straße 247 09116 Chemnitz Germany + 49 371 23 88 / 240 info@stc-spinnzwirn.com stc-spinnzwirn.com

The information supplied in this brochure is for guidance only. We reserve the right to modify it at any time.

Reprint only with expressed Permission of STC Spinnzwirn



FOR THE COMPLETE PRODUCTION OF **GREENHOUSE** AND **BALER TWINE** WITH UP TO 400 M/MIN AT A NEW LEVEL OF THE OPERATOR SAFETY AND TAPE PROPERTIES.

- » High and continuous production speed up to 400 m/min due to the automatic winder, model WinTape XXL to secure identical tape properties
- » No waste during the production due to the combination of EvoTape and the automatic winder, model WinTape XXL
- » EvoTape available with different extruder dimension and different working widths from 800 up to 1,600 mm to reach an output of nearly 1.000 kg/hour
- » Extremely high knot strength of about 3g/den on a 130 m/kg (70,000 den) tape






Material*	Count range**	Characteristics	Special properties
PP	3,000 up to 90,000 dtex (111 up to 3,333 m/kg)***	High speed & high performance at low production costs	Tapes with extra-high tenacity and knot strength

^{*} PLA and other biopolymers on request

EvoTape

CONTINUOUSLY PRODUCTION
UP TO 400 M/MIN* AND
REACHING AN OUTPUT
OF MAX. 1,000 KG/H*



* max. values cannot be combined

WINDING





TWISTING



^{**} others on request

^{***} max. values cannot be combined